

National Council of Science Museums 33 Block GN, Saltlake Sector V Bidhannagar, Kolkata 700 091

I-18012/7/23(67)

Technical Specification

1) Specifications for a Desktop PC- 4 nos.

Operating System : Windows 10 Professional 64bit (Licensed)

Processor : 12th Gen Intel® Core™ i7-11700F processor (8-Core, 16M Cache, 2.5GHz to 4.9GHz)

Processor family: 12th Generation Intel® Core™ i7 processor

Memory: 16GB, 16Gx1, DDR4, 2933MHz

Hard drive: 512GB M.2 PCIe NVMe Solid State Drive + 1TB 7200 rpm 3.5" SATA Hard Drive

Graphics: Intel[®] UHD Graphics 730 with shared graphics memory

USB Ports: 6 ports; 2x front and 3x rear USB 3.1 Gen2; 2x USB 2.0 via internal headers; USB

Revision 2.0, 3.1 Gen2

SATA 6.0 Gb/s Ports: 4

Thunderbolt™ 3 Ports: 1

Expansion slots: PCI Express Revision - Gen3; PCI Express Configurations ‡ - M.2 slot with PCIe

X4 lanes;

Integrated Bluetooth: Yes

Removable Memory Card Slot: microSDXC with UHS-I support;

M.2 Card Slot (storage): 22x42/80

Network interface: Integrated LAN Intel® Ethernet Connection I219-V; Integrated Intel® Wi-Fi 6

2x2 (Gig+) and Bluetooth

Pointing device: USB Hardened Mouse

Keyboard : USB Wired Keyboard

....contd

Security & Reliability: Intel® AES New Instructions

Warranty: 3-year warranty and service offering includes 3 years of parts, labor and on-site repair.

Services: Receive 3 years of next business day onsite repair from a qualified technician for your computing device.

Make & Model offered:	
	To be entered by bidder

2. Specifications for a Desktop PC – 4TB Storage with mirror – 1 no.

Operating System : Windows 10 Professional 64bit (Licensed)

Processor : 12th Gen Intel® Core™ i7-11700F processor (8-Core, 16M Cache, 2.5GHz to 4.9GHz)

Processor family: 12th Generation Intel® Core™ i7 processor

Memory: 16GB, 16Gx1, DDR4, 2933MHz

Hard drive: 512GB M.2 PCIe NVMe Solid State Drive + 4TB 7200 rpm 3.5" SATA Hard Drive * 2

Graphics: Intel[®] UHD Graphics 730 with shared graphics memory

USB Ports: 6 ports; 2x front and 3x rear USB 3.1 Gen2; 2x USB 2.0 via internal headers; USB

Revision 2.0, 3.1 Gen2

RAID Configuration: 2.5" HDD/SSD (RAID-1)

SATA 6.0 Gb/s Ports: 4

Thunderbolt™ 3 Ports: 1

Expansion slots: PCI Express Revision - Gen3; PCI Express Configurations ‡ - M.2 slot with PCIe

X4 lanes;

Integrated Bluetooth: Yes

Removable Memory Card Slot: microSDXC with UHS-I support;

M.2 Card Slot (storage): 22x42/80

Network interface: Integrated LAN Intel® Ethernet Connection I219-V; Integrated Intel® Wi-Fi 6

2x2 (Gig+) and Bluetooth

Pointing device: USB Hardened Mouse

Keyboard: USB Wired Keyboard

Security & Reliability: Intel® AES New Instructions

Warranty: 3 year warranty and service offering includes 3 years of parts, labor and on-site

repair.

Services: Receive 3 years of next business day onsite repair from a qualified technician for your

computing device

Make & Model offered:	
	To be entered by bidder

3. Computer Monitor

24 Inch Computer Monitor – 5 nos.

Display Type: LED-backlit LCD monitor / TFT active matrix

Diagonal Size: 24"

Viewable Size: 23.8"

Native Resolution: Full HD (1080p) 1920 x 1080 at 75 Hz

Aspect Ratio: 16:9

Panel Type: IPS (In-Plane Switching)

Adaptive-Sync Technology: AMD FreeSync

Pixel Pitch: 0.2745 mm

Pixel Per Inch: 92.56

Brightness: 250 cd/m²

Contrast Ratio: 1000:01

Colour Support : 16.7 million colors

Response Time: 8 ms typical (Normal) 4 ms typical (Fast) (gray to gray)

Display Position Adjustments: Tilt

Screen Coating: Anti-glare, 3H Hard Coating

Backlight Technology: LED backlight

Features: LED edgelight system, Flicker Free technology, Mercury free, arsenic-free glass

Interfaces: 1. HDMI X 2 | 2. Audio line-out

Warranty: 3 years on-site warranty

Make & Model offered:

To be entered by bidder

4. UPS Specifications

Line interactive 1 KVA Backup UPS – 5 nos.

Back-UPS 1100VA, 230V

Main Input Voltage: 230 V

Main Output Voltage: 230 V

Rated power in W: 660 W

Rated power in VA: 1100 VA

Number of power socket outlets: 4 India 2/3-pin 6A, 1 India 2/3-pin 6A surge

Cable length: 1.52 m

Number of cables: 1

Battery type: Lead-acid battery

Network frequency: 45...65 Hz auto-sensing

Plug standard: India 3-pin 6A

Input voltage limits: 145...290 V

Switching current capacity: 7 A

Maximum configurable power in W: 660 W

Output frequency: 50 Hz sync to mains

UPS type: Line interactive

Wave type: Stepped approximation to a sinewave

Efficiency: 72 % (full load), 84 % (half load)

Full load runtime: 660 W

Maximum configurable power in VA: 1100 VA

Transfer time 10 ms typical: 12 ms maximum

Conformance

Product certifications BIS

....contd

To be entered by bidder
Make & Model offered:
Warranty: 3 year on-site warranty
Optimized Energy Efficiency Energy efficient product : yes
RoHS exemption information : Yes
Mercury free : Yes
EU RoHS Declaration : Yes
EU RoHS Directive Compliant : yes
REACh Regulation REACh Declaration : yes
Battery power in VAH: 128 VAh runtime
Battery voltage: 24 V
Number of battery replacement quantity: 2
Battery recharge time: 6 h
Acoustic level: 45 dBA
Storage altitude: 015000 m
Storage Relative Humidity : 095 %
Ambient air temperature for Storage :-1545 °C
Operating altitude 03000 m
Relative humidity: 095 %
Ambient air temperature for operation : 040 °C

Environmental